

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:05
L2	2515	oled same (imperfection void defect hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:03
L3	29	oled same imperfection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:00
L4	1967	oled same (imperfection void defect hole) same layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:02
L5	11	4 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:02
L6	321	oled same (imperfection void defect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:03
L7	162	6 same layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:03
L8	1	7 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:03
L9	14	oled same (imperfection void defect) same rough\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:16
L10	3	oled same (imperfection void defect) same sand\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:11

L11	6	oled same (imperfection void defect) same abras\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:11
L12	17	oled same (imperfection void defect) same mod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:17
L13	62	layer same imperfection same roughen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:17
L14	13	13 same (light laser led oled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 14:11
L15	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:51
L16	6	"20030016930" "6297495".pn. "6324326".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:54
L17	2	"6167075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 14:11
S1	2	"5892876".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 09:50
S2	25	Duggal and Levinson and General adj Electric adj Company	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:35
S5	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:15

S7	4	S5 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:36
S8	2	S5 and fiber and core and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:36
S9	4	S5 and fiber and core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:37
S10	1	S5 and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:38
S13	3	S5 and (phosphorescent fluorescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:45
S14	2	S5 and oled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:46
S15	2	S5 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:46
S16	1	S5 and electrode with inner with outer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:47
S17	2	S5 and oled with fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:49
S19	1	S5 and reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:50

S21	2	S5 and oled with flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:51
S24	1	S5 and pump\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:53
S25	1	S5 and perimeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:54
S27	2	S5 and efficien\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:55
S28	1	S5 and generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:56
S29	1	S5 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:57
S32	1	S5 and signal with optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:59
S33	1	S5 and signal with amplif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 12:59
S36	520	introspect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 13:03
S37	6128	endoscopy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 13:00

S38	2	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 13:00
S41	93136	optic\$4 with cable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:47
S42	611	S41 with core with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:47
S45	28	S42 with transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:51
S47	2	S45 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:52
S48	1243	385/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:52
S49	182	385/141.ccls. and optical near3 cable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:53
S50	2	385/141.ccls. and optical near3 cable with envelope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:54
S51	9	385/141.ccls. and optical near3 cable with cladding with core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:55
S53	3	385/141.ccls. and optical near3 cable with cladding with core and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:55

S55	14	S49 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 14:56
S56	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:00
S57	2	cable and transparent adj envelope and core with dop\$3 with (phosphor\$6 fluor\$6) and cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:05
S58	425	385/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:07
S59	1	S58 and oled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:08
S60	48	S58 and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:08
S61	38	S58 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:10
S64	16	"385"/\$.ccls. and (ratio with perimeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:13
S65	2	"385"/\$.ccls. and (ratio with perimeter with core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:13
S66	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 18:39

S67	0	S66 and opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:16
S68	1	S66 and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:16
S69	1	S66 and reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:26
S70	1309	(perimeter radius) with (core and (cladding envelope))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:28
S71	128	(perimeter radius) with (core and (cladding envelope)) with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:29
S72	4	(perimeter radius) with (core and (cladding envelope)) with ratio with efficien\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 17:29
S73	134	outer adj electrode with transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 18:42
S79	2205	optical adj signal with constant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 18:42
S81	498	optical adj signal with constant and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 18:43
S82	8	optical adj signal with constant and 385/141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/13 18:43

S83	1	(fiber cable) with pump\$3 with mirror with transparent with opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 08:51
S84	35	(fiber cable) with pump\$3 with mirror with (transparent opaque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 10:43
S86	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 12:53
S87	1445	372/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 13:40
S88	683	372/6.ccls. and mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 13:40
S89	14	372/6.ccls. and mirror and transparent and opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 13:44
S90	190	372/6.ccls. and mirror with transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 13:45
S91	4	372/6.ccls. and mirror with transmi\$5 and opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 13:49
S93	74	372/6.ccls. and mirror with transmi\$5 with pump\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:10
S94	1	372/6.ccls. and mirror with opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:10

S95	11048	transparent with cathode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:23
S96	60	transparent with cathode and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:27
S97	81	transparent adj anode with transparent adj cathode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:27
S98	52	S97 not @ad>="20030110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:31
S10 0	7	S98 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:33
S10 1	15	S98 and (liquid adj crystal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:33
S10 2	939	cladding with reflective	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:42
S10 3	97	reflective adj cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:42
S10 4	28	reflective adj cladding and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:43
S10 5	22	S104 not @ad>="20030110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:44

S10 6	1	S105 and electrode and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/14 14:44
S10 7	4	"5892876".pn. "6538375".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 09:34
S10 8	2	"20040004767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:03
S11 1	2	"5919712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:11
S11 2	5794	waveguide with electronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:12
S11 3	684	waveguide with electronic adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:12
S11 4	29	waveguide with reflect\$3 with electronic adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:13
S11 5	1	waveguide with reflect\$3 near3 coat\$3 with electronic adj device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:14
S11 6	5	waveguide with reflect\$3 near3 coat\$3 with electronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:15
S11 7	2	"20020083585"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:23

S11 8	2	"20010041041"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/20 10:23
----------	---	---------------	---	----	----	------------------